

SEQ Col. 1 Integer 5

CDS Anonymous Unique Identifier that identifies an observation longitudinally in time.

Freq	Value	Label
19907	42-41947	CDS Anonymous Unique Identifier

SIC1 Col. 10939 Character 1

1984 Cohort Sample identification codes

Freq	Value	Label
15358	0	No Data Available
557	1	All 6088 persons given detailed interviews in 1982 (component C)
13	2	All 305 persons who were type A noninterview for their detailed interview component C)
6	3	All 284 persons who were type A noninterview for their screener and who were institutionalized after April 1, 1982 (Component A)
30	4	All 1708 persons who were type C noninterviews at the 1982 screener who were institutionalized before April 1, 1982 (component B)
2666	5	Approximately 12,100 persons who were not impaired in 1982 (component S)
1277	6	a sample of Medicare persons who reached their 65th birthday on or after April 1, 1982 and before April 1, 1983

SIC2 Col. 10940 Character 1

1989 Cohort Sample identification codes

Freq	Value	Label
11869	0	No Data Available
890	1	all 3,928 persons assigned a detailed community interview in the 1984 LTC round (screened-in in 1984);
48	4	all 651 persons assigned a detailed institutional interview in the 1984 round (screened-in in 1984);
2539	5	a subsample of 4,990 persons selected from those screened-out of the 1984 LTC sample (i.e., unimpaired noninstitutional who, therefore, were not assigned a detailed interview in the 1984 round);
3489	6	a sample of 4,907 Medicare persons who reached their 65th birthday on or after April 1, 1984 and before April 1, 1988
1072	7	all remaining 3,089 persons aged 75 years and older (before April 1, 1988) among the 1989 screened-out persons not selected in (5) above;

SIC3 Col. 10941 Character 1

1994 Cohort Sample identification codes

Freq	Value	Label
7700	0	No Data Available
1345	1	all 2,701 persons assigned a detailed community interview in the 1989 LTC

90	4	round (screened-in in 1989); all 395 persons assigned a detailed institutional interview in the 1989 round (screened-in in 1989);
3361	5	a subsample of 4,500 persons selected from those screened-out of the 1989 LTC sample (i.e., unimpaired noninstitutional who, therefore, were not assigned a detailed interview in the 1989 round);
2939	6	a sample of 5,000 Medicare persons who reached their 65th birthday on or after April 1, 1988 and before April 1, 1994
1642	7	all remaining 2,528 persons aged 75 years and older (before April 1, 1994) among the 1989 screened-out persons not selected in (5) above;
2652	8	all 3,507 screened-out (unimpaired noninstitutional) persons from the 1984 LTC sample who were not selected for the 1989 LTC round (all under 75 years of age in 1989)
178	9	a supplemental sample of 540 persons 95 years of age and older selected from the second 1994 universe subfile

SIC4 Col. 10942 Character 1

1999 Cohort Sample identification codes

Freq	Value	Label
3589	1	all 3,557 persons assigned a detailed community interview in the 1994 LTC round (screened-in in 1994);
334	4	all 334 persons assigned a detailed institutional interview in the 1994 round (screened-in in 1994);
5000	5	a subsample of 5,000 persons selected from those screened-out of the 1994 LTC sample (i.e., unimpaired noninstitutional who, therefore, were not assigned a detailed interview in the 1994 round);
5500	6	a sample of 5,500 Medicare persons who reached their 65th birthday on or after April 1, 1994 and before April 1, 1999
3284	7	all remaining 3,284 persons aged 75 years and older (before April 1, 1999) among the 1994 screened-out persons not selected in (5) above;
1600	8	all 1,600 screened-out (unimpaired noninstitutional) persons from the 1989 LTC sample who were not selected for the 1994 LTC round (all under 75 years of age in 1994)
600	9	a supplemental sample of 600 persons 95 years of age and older selected from the second 1999 universe subfile. (See reference [3], section II.)

SCR_CODE Col. 10943 Character 1

Screeener code --- digit 1 of CTRLNUM

Freq	Value	Label
3810	N	Partial Screeener Interview
16097	S	Full Screeener Interview

HS_CODE Col. 10944 Character 1

Healthy supplement flag --- digit 14 of CTRLNUM

Freq	Value	Label
1577	H	Healthy
18330	O	Other

SR Col. 10948 Character 1

Self Representing / NSR status

Freq	Value	Label
8200	1	SR
11707	2	NSR

SMSA Col. 10949 Character 1

Standard Metropolitan Statistical Area / non-SMSA status

Freq	Value	Label
12510	1	SMSA
7397	2	non-SMSA

REGION Col. 10950 Character 1

Region

Freq	Value	Label
4451	1	Northeast
4946	2	North Central (currently Midwest)
6662	3	South
3848	4	West

CM_RO Col. 10951 Character 2

Census Regional Office

Freq	Value	Label
1743	21	Boston
1156	22	New York
1756	23	Philadelphia
1769	24	Detroit
1664	25	Chicago
1578	26	Kansas City
1571	27	Seattle
2034	28	Charlotte
2152	29	Atlanta
1963	30	Dallas
1197	31	Denver
1324	32	Los Angeles

SURVEY Col. 10953 Character 1 Survey		
Freq	Value	Label
11002	1	Screener Only (Screened Out)
3547	2	Community Survey
1600	3	Community with Caregiver
1036	4	Institutional
2274	5	Screener Non-Interview
448	6	Detailed Non-Interview
CTRLNUM Col. 10954 Character 14 1999 CONTROL NUMBER		
Freq	Value	Label
19907	-	All Values
BASEWGT Col. 10968 Real 9.4 9 Census Base Weight		
Freq	Value	Label
19907	nnnn.dddd	Formatted decimal
CROSSWGT Col. 10977 Real 12.6 12 Detailed Cross-sectional Weight		
Freq	Value	Label
19907	nnnnn.ddddd	Formatted decimal
STRATUM Col. 10989 Integer 1 Original reason for entitlement		
Freq	Value	Label
18489	1	age
1418	2	disability
WGT_AGE Col. 10990 Integer 3 Age on April 1, 1999		
Freq	Value	Label
5500	65-69	Age
2233	70-74	Age
4196	75-79	Age
4464	80-84	Age
1742	85-89	Age

1772	90+	Age
------	-----	-----